

**MENS ROGAINE UNSCENTED FORMULA- minoxidil aerosol, foam**  
**Johnson & Johnson Healthcare Products, Division of McNEIL-PPC, Inc.**

-----  
**Men's Rogaine 5% Minoxidil Topical Foam Unscented**

***Drug Facts***

**Active ingredient**

Minoxidil 5% w/w (without propellant)

**Purpose**

Hair regrowth treatment for men

**Use**

to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

**Warnings**

**For external use only. For use by men only.**

**Extremely Flammable:** Avoid fire, flame, or smoking during and immediately following application.

**Do not use if**

- you are a woman
- your amount of hair loss is different than that shown on side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical foam is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have** heart disease

**When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

**Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs

- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

**May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- apply half a capful 2 times a day to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- see enclosed booklet for complete directions on how to use
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

### **Other information**

- hair growth has been shown in a clinical study of men (mostly white) aged 18-49 years who used it for 4 months
- see hair loss pictures on right
- before use, read all information on package and enclosed booklet
- keep the package. It contains important information.
- store at controlled room temperature 20° to 25° C (68° to 77° F)
- contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120° F (49° C).

### **Inactive ingredients**

butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, propane, purified water, SD alcohol 40-B, stearyl alcohol

### **Questions?**

- call toll-free **800-ROGAINE** or **215-273-8755** (collect)
- visit **www.rogaine.com**

### **PRINCIPAL DISPLAY PANEL - 60 g Can Carton**

NEW

LOOK

#1 DERMATOLOGIST RECOMMENDED BRAND

MEN'S

**Rogaine®**

5% MINOXIDIL TOPICAL AEROSOL

HAIR REGROWTH TREATMENT

REVITALIZES

HAIR FOLLICLES

EASY-TO-USE

**FOAM**

CLINICALLY PROVEN TO HELP REGROW HAIR

UNSCENTED

Not For Use By Women

Three Month Supply – Three 60 g (2.11 oz) Cans

NEW  
LOOK

#1 DERMATOLOGIST RECOMMENDED BRAND

MEN'S  
**Rogaine®**

5% MINOXIDIL TOPICAL AEROSOL  
HAIR REGROWTH TREATMENT

REVITALIZES  
HAIR FOLLICLES



EASY-TO-USE  
FOAM

CLINICALLY PROVEN TO HELP REGROW HAIR

UNSCENTED

Not For Use By Women

Three Month Supply • Three 60 g (2.11 oz) Cans

#### THIS PACKAGE CONTAINS

- Three 60 g (2.11 oz) cans of *Men's ROGAINE® Foam* (three month supply)
- Information booklet with complete directions on how to use and obtain best results

#### USING THE PRODUCT

- To open container: Match arrow on can ring with arrow on cap. Pull off cap.
- Within the hair thinning area, part the hair into one or more rows to maximize scalp exposure.
- The foam may begin to melt right away on contact with your warm skin. If your fingers are warm, rinse them in cold water first. (Be sure to dry them thoroughly before handling the foam.)
- Hold the can straight upside down and press nozzle to dispense the topical foam product onto your fingers. The total amount of foam applied should not exceed half a capful.
- Using your fingers, spread the foam over the hair loss area and gently massage into scalp and then wash your hands well.
- After each use, close the container to make child resistant by snapping the cap back on to the can.



1  
OPEN CONTAINER



2  
PART THE HAIR



3  
HOLD CAN  
STRAIGHT  
UPSIDE DOWN



4  
USE YOUR  
FINGERS



3 12547 78135 0

Distr. Johnson & Johnson Healthcare

### Drug Facts

#### Active Ingredient

Minoxidil 5% w/w (without propellant).....Hair regrowth treatment for men

#### Purpose

**Use** to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

#### Warnings

For external use only. For use by men only.

**Extremely Flammable:** Avoid fire, flame, or smoking during and immediately following application.

#### Do not use if

- you are a woman
- your amount of hair loss is different than that shown on side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical foam is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have heart disease**

#### When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

#### Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

**May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.**

#### Directions

- apply half a capful 2 times a day to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- see enclosed booklet for complete directions on how to use
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

#### Other information

- hair growth has been shown in a clinical study of men (mostly white) aged 18-49 years who used it for 4 months
- see hair loss pictures on side of this carton
- before use, read all information on package and enclosed booklet
- keep the package. It contains important information.
- store at controlled room temperature 20° to 25° C (68° to 77° F)
- contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120° F (49° C).

#### Inactive ingredients

butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, propane, purified water, SD alcohol 40-B, stearyl alcohol

#### Questions?


- call toll-free 800-ROGAINE or 215-273-8755 (collect)
- visit [www.rogaïne.com](http://www.rogaïne.com)

**Men's ROGAINE® Foam** is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. **Men's ROGAINE® Foam** has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.



If men have more hair loss or hair loss in a place different than shown above, **Men's ROGAINE® Foam** may not work.





© McNEIL-PPC, Inc. 2011  
U.S. Patent No. 6,946,120 and other  
patents pending.  
Product incorporates technology licensed  
from Connexis Corporation.  
The overall look and design of this packaging  
is subject to trademark protection.  
Active Made in Italy

**MENS ROGAINE UNSCENTED FORMULA**  
minoxidil aerosol, foam

| Product Information     |                      |                    |               |
|-------------------------|----------------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG LABEL | Item Code (Source) | NDC:42002-106 |
| Route of Administration | TOPICAL              | DEA Schedule       |               |

| Active Ingredient/Active Moiety |                   |              |
|---------------------------------|-------------------|--------------|
| Ingredient Name                 | Basis of Strength | Strength     |
| Minoxidil (Minoxidil)           | Minoxidil         | 50 mg in 1 g |

| Inactive Ingredients     |          |
|--------------------------|----------|
| Ingredient Name          | Strength |
| Butane                   |          |
| Butylated Hydroxytoluene |          |
| Cetyl Alcohol            |          |
| Citric Acid Monohydrate  |          |
| Glycerin                 |          |
| Isobutane                |          |
| Lactic Acid              |          |
| Polysorbate 60           |          |
| Propane                  |          |
| Water                    |          |
| Stearyl Alcohol          |          |

| Packaging |                  |                     |                      |                    |
|-----------|------------------|---------------------|----------------------|--------------------|
| #         | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
| 1         | NDC:42002-106-11 | 1 in 1 PACKAGE      |                      |                    |
| 1         |                  | 60 g in 1 CAN       |                      |                    |
| 2         | NDC:42002-106-13 | 3 in 1 PACKAGE      |                      |                    |
| 2         |                  | 60 g in 1 CAN       |                      |                    |
| 3         | NDC:42002-106-14 | 4 in 1 PACKAGE      |                      |                    |
| 3         |                  | 60 g in 1 CAN       |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| NDA                | NDA021812                                | 10/01/2010           |                    |

**Labeler** - Johnson & Johnson Healthcare Products, Division of McNEIL-PPC, Inc. (831417154)

Revised: 8/2012

Johnson & Johnson Healthcare Products, Division of McNEIL-PPC, Inc.